


**DESIGNED & DIMENSIONED
IN MILLIMETERS [ENGLISH]**

NOTES:

- SAMTEC ACKNOWLEDGES THE MSA STANDARD BOARD AS AN ACCEPTABLE LAYOUT AS WELL.**

POSITION	"A"	"B"
-10	7.20[.283]	9.60[.378]
-15	11.20[.441]	13.60[.535]
-20	15.20[.598]	17.60[.693]
-35	27.20[1.071]	29.60[1.165]



-20 POSITION SHOWN

F:\DWG\MISC\Mktg\Footprint\MECT-1XX-XX-XX-XX-D-RAX-XX-FOOTPRINT.SLDDRW

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail: info@SAMTEC.com code: 55322

**DESIGNED & DIMENSIONED
IN MILLIMETERS [ENGLISH]**

NOTES:

1. SAMTEC ACKNOWLEDGES THE MSA STANDARD BOARD AS AN ACCEPTABLE LAYOUT AS WELL.
2. STENCIL TO BE .006" THICK.




TABLE 4

POSITION	"A"
-10	7.20 [.283]
-15	11.20 [.441]
-20	15.20 [.598]
-35	27.20 [1.071]


F:\DWG\MISC\Mktg\Footprint\MECT-1XX-XX-XX-XX-D-RAX-XX-FOOTPRINT.SLDDRW

PROPRIETARY NOTE
 * THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.


samtec
 520 PARK EAST BLVD, NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail: info@SAMTEC.com code: 55322

**DESIGNED & DIMENSIONED
IN MILLIMETERS [ENGLISH]**

-10 POSITIONS
(STANDARD SFP APPLICATION)



-15, -20, & -35 POSITIONS
NON SFP APPLICATION
[-20 POSITION SHOWN]



POSITIONS	"A"	"B"	"C"
-15	13.200 [.5197]	11.200 [.4409]	5.800 [.2283]
-20	17.200 [.6772]	15.200 [.5984]	7.800 [.3071]
-35	29.200 [1.1500]	27.200 [1.0709]	13.800 [.5433]

NOTES:

1. PLATING TO BE .000030" GOLD WITH A HARDNESS OF 130-200 KNOOP PER ASTM B 488 TYPE 2, GRADE C.

F:\DWG\MISC\Mktg\Footprint\MECT-1XX-XX-XX-XX-D-RAX-XX-FOOTPRINT.SLDDRW

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR IN PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322